ELSEVIER

Brain Research 892 (2001) 401–403

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Aberger, K., Chitravanshi, V.C. and Sapru, H.N.
Cardiovascular responses to microinjections of nicotine into the caudal ventrolateral medulla of the rat (892) 138
Ahlbom, E., Prins, G.S. and Ceccatelli, S.
Testosterone protects cerebellar granule cells from oxidative stress-induced cell death through a receptor mediated mechanism (892) 255
Ali, S.F., see Trauth, J.A. (892) 269
Anisman, H., see Hayley, S. (892) 293
Arai, A.C.
GYKI 52466 has positive modulatory effects on AMPA receptors (892) 396
Armstrong, C., Leong, W. and Lees, G.J.
Comparative effects of metal chelating agents on the neuronal cytotoxicity induced by copper (Cu^{+2}), iron (Fe^{+3}) and zinc in the hippocampus (892) 51

Bähr, M., see Isenmann, S. (892) 229
Ball, M.J., see Hansen, M.J. (892) 130
Balogh, S.A., McDowell, C.S., Tae Kwon, Y. and Denenberg, V.H.
Facilitated stimulus-response associative learning and long-term memory in mice lacking the NTAN1 amidase of the N-end rule pathway (892) 336
Barone, F.C., see Legos, J.J. (892) 70
Behzadi, G., see Roghani, M. (892) 211
Beraudi, A., see Poli, A. (892) 78
Borowski, T., see Hayley, S. (892) 293
Broom, S.L., see Sabol, K.E. (892) 122
Brown, I.R., see Mothe, A.J. (892) 27
Burak, K.W., Le, T. and Swain, M.G.
Increased midbrain 5-HT_{1A} receptor number and responsiveness in cholestatic rats (892) 376

Cairns, B.E., see Seo, K. (892) 198
Ceccatelli, S., see Ahlbom, E. (892) 255
Chandra, S., see Legos, J.J. (892) 70
Chapman, C.G., see Meadows, H.J. (892) 94
Chase, M.H., see Torterolo, P. (892) 309
Chitravanshi, V.C., see Aberger, K. (892) 138
Cho, S.S., see Shin, D.H. (892) 203
Choi, Y.-H., Fletcher, P.J. and Harvey Anderson, G.
Extracellular amino acid profiles in the paraventricular nucleus of the rat hypothalamus are influenced by diet composition (892) 320

Dawson, D.A., Wadsworth, G. and Palmer, A.M.
A comparative assessment of the efficacy and side-effect liability of neuroprotective compounds in experimental stroke (892) 344
Dębska, G., May, R., Kicińska, A., Szewczyk, A., Elger, C.E. and Kunz, W.S.
Potassium channel openers depolarize hippocampal mitochondria (892) 42
Denenberg, V.H., see Balogh, S.A. (892) 336
Dewar, D., see McCracken, E. (892) 329
Di Iorio, P., see Poli, A. (892) 78
Dluzen, D.E., see Gao, X. (892) 63
Duckworth, D.M., see Meadows, H.J. (892) 94

Ebadi, M., see Muralikrishnan, D. (892) 241
Egestad, B., see Sager, T.N. (892) 166
Elger, C.E., see Dębska, G. (892) 42
El-Ghundi, M., O'Dowd, B.F. and George, S.R.
Prolonged fear responses in mice lacking dopamine D_1 receptor (892) 86
Engel, S., see Isenmann, S. (892) 229
Erhardt, J.A., see Legos, J.J. (892) 70

Farber, P.R., see Shouse, M.N. (892) 147
Farber, P.R., see Shouse, M.N. (892) 176
Ferreira, C., see Sabol, K.E. (892) 122
Fletcher, P.J., see Choi, Y.-H. (892) 320
Frederick Smith, D. and Geday, J.
PET neuroimaging of clomipramine challenge in humans: focus on the thalamus (892) 193

Gao, X. and Dluzen, D.E.
The effect of testosterone upon methamphetamine neurotoxicity of the nigrostriatal dopaminergic system (892) 63
Geday, J., see Frederick Smith, D. (892) 193
George, S.R., see El-Ghundi, M. (892) 86
Golanov, E.V. and Reis, D.J.
Neurons of nucleus of the solitary tract synchronize the EEG and elevate cerebral blood flow via a novel medullary area (892) 1
Goto, T., see Inoue, T. (892) 111
Gravel, C., see Isenmann, S. (892) 229
Grundy, P.L., Patel, N., Harbuz, M.S., Lightman, S.L. and Sharples, P.M.
Glucocorticoids modulate the NGF mRNA response in the rat hippocampus after traumatic brain injury (892) 386

Hansen, M.J., Ball, M.J. and Morris, M.J.
Enhanced inhibitory feeding response to alpha-melanocyte stimulating hormone in the diet-induced obese rat (892) 130
Hanson, L.G., see Sager, T.N. (892) 166
Harbuz, M.S., see Grundy, P.L. (892) 386
Harvey Anderson, G., see Choi, Y.-H. (892) 320
Hautzel, H., Taylor, J.G., Krause, B.J., Schmitz, N., Tellmann, L., Ziemons, K., Shah, N.J., Herzog, H. and Müller-Gärtner, H.-W.
The motion aftereffect: more than area V5/MT?. Evidence from ^{15}O-butanol PET studies (892) 281
Hayley, S., Borowski, T., Merali, Z. and Anisman, H.
Central monoamine activity in genetically distinct strains of mice following a psychogenic stressor: effects of predator exposure (892) 293
Herzog, H., see Hautzel, H. (892) 281
Heyes, M.P., see Zito, M.A. (892) 13
Hochstrate, P. and Schlue, W.-R.
The ouabain-induced $[Ca^{2+}]_i$ increase in leech Retzius neurones is mediated by voltage-dependent Ca^{2+} channels (892) 248
Hopkins, E., see Kest, B. (892) 208
Hu, J.W., see Seo, K. (892) 198
Hunter, A.J., see McCracken, E. (892) 329

Iguchi, A., see Zhu, W. (892) 391
Inoue, T., Wang, F., Moriguchi, A., Shirakawa, K., Matsuoka, N. and Goto, T.
FK960, a novel potential anti-dementia drug, enhances high K^+-evoked release of somatostatin from rat hippocampal slices (892) 111
Isenmann, S., Engel, S., Kügler, S., Gravel, C., Weller, M. and Bähr, M.

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)02138-2

Intravitreal adenoviral gene transfer evokes an immune response in the retina that is directed against the heterologous *lacZ* transgene product but does not limit transgene expression (892) 229

Jeon, G.S., see Shin, D.H. (892) 203

Kamei, J. and Zushida, K.
The role of spinal cholecystokinin B receptors in thermal allodynia and hyperalgesia in diabetic mice (892) 370
Kelsell, R.E., see Meadows, H.J. (892) 94
Kest, B. and Hopkins, E.
Morphine tolerance after chronic intracerebroventricular injection in male and female mice (892) 208
Kicińska, A., see Dębska, G. (892) 42
Kim, D.-K., Oh, E.K., Summers, B.A., Prabhakar, N.R. and Kumar, G.K.
Release of substance P by low oxygen in the rabbit carotid body: evidence for the involvement of calcium channels (892) 359
Kim, H., see Lee, P. (892) 380
Kim, S., see Lee, P. (892) 380
Kim, S.Y., see Lee, P. (892) 380
Ko, P.-Y., see Shouse, M.N. (892) 176
Koennecke, L.A., see Zito, M.A. (892) 13
Koshino, T., see Shibazaki, Y. (892) 351
Krause, B.J., see Hautzel, H. (892) 281
Kudryashov, I.E. and Kudryashova, I.V.
Ontogeny of synaptic transmission in the rat hippocampus (892) 263
Kudryashova, I.V., see Kudryashov, I.E. (892) 263
Kügler, S., see Isenmann, S. (892) 229
Kumar, G.K., see Kim, D.-K. (892) 359
Kunz, W.S., see Dębska, G. (892) 42

Le, T., see Burak, K.W. (892) 376
Lee, H.W., see Shin, D.H. (892) 203
Lee, H.Y., see Shin, D.H. (892) 203
Lee, J., see Lee, P. (892) 380
Lee, K.H., see Shin, D.H. (892) 203
Lee, M.-S., see Lee, P. (892) 380
Lee, P., Lee, J., Kim, S., Lee, M.-S., Yagita, H., Kim, S.Y., Kim, H. and Suk, K.
NO as an autocrine mediator in the apoptosis of activated microglial cells: correlation between activation and apoptosis of microglial cells (892) 380
Lees, G.J., see Armstrong, C. (892) 51
Legos, J.J., Erhardt, J.A., White, R.F., Lenhard, S.C., Chandra, S., Parsons, A.A., Tuma, R.F. and Barone, F.C.
SB 239063, a novel p38 inhibitor, attenuates early neuronal injury following ischemia (892) 70
Lenhard, S.C., see Legos, J.J. (892) 70
Leong, W., see Armstrong, C. (892) 51
Lightman, S.L., see Grundy, P.L. (892) 386

Matsuoka, N., see Inoue, T. (892) 111
May, R., see Dębska, G. (892) 42
McAuliffe, M.J., see Zito, M.A. (892) 13
McCracken, E., Dewar, D. and Hunter, A.J.
White matter damage following systemic injection of the mitochondrial inhibitor 3-nitropropionic acid in rat (892) 329
McDowell, C.S., see Balogh, S.A. (892) 336
McNally, B., see Zito, M.A. (892) 13
Meadows, H.J., Chapman, C.G., Duckworth, D.M., Kelsell, R.E., Murdock, P.R., Nasir, S., Rennie, G. and Randall, A.D.
The neuroprotective agent sipatrigine (BW619C89) potently inhibits the human tandem pore-domain K^+ channels TREK-1 and TRAAK (892) 94
Mendelson, W.B.
The sleep-inducing effect of ethanol microinjection into the medial preoptic area is blocked by flumazenil (892) 118
Merali, Z., see Hayley, S. (892) 293
Miura, H., see Zhu, W. (892) 391
Møller, A., see Sager, T.N. (892) 166
Morales, F.R., see Torterolo, P. (892) 309
Moriguchi, A., see Inoue, T. (892) 111
Morris, M.J., see Hansen, M.J. (892) 130
Mothe, A.J. and Brown, I.R.
Differential mRNA expression of the related extracellular matrix glycoproteins SC1 and SPARC in the rat embryonic nervous system and skeletal structure (892) 27
Müller-Gärtner, H.-W., see Hautzel, H. (892) 281
Muralikrishnan, D. and Ebadi, M.
SKF-38393, a dopamine receptor agonist, attenuates 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced neurotoxicity (892) 241
Murdock, P.R., see Meadows, H.J. (892) 94

Nakai, A., see Shibazaki, Y. (892) 351
Nasir, S., see Meadows, H.J. (892) 94
Nixon, P.F., see Zimitat, C. (892) 218
Notari, S., see Poli, A. (892) 78

O'Dowd, B.F., see El-Ghundi, M. (892) 86
Oh, E.K., see Kim, D.-K. (892) 359

Palmer, A.M., see Dawson, D.A. (892) 344
Parsons, A.A., see Legos, J.J. (892) 70
Patel, N., see Grundy, P.L. (892) 386
Poli, A., Di Iorio, P., Beraudi, A., Notari, S., Zaccanti, F., Villani, L. and Traversa, U.
The calcium-dependent [^{3}H]acetylcholine release from synaptosomes of brown trout (*Salmo trutta*) optic tectum is inhibited by adenosine A_1 receptors. Effects of enucleation on A_1 receptor density and cholinergic markers (892) 78
Prabhakar, N.R., see Kim, D.-K. (892) 359
Preau, M.M., see Sabol, K.E. (892) 122
Prins, G.S., see Ahlbom, E. (892) 255

Randall, A.D., see Meadows, H.J. (892) 94
Reis, D.J., see Golanov, E.V. (892) 1
Rennie, G., see Meadows, H.J. (892) 94
Roach, J.T., see Sabol, K.E. (892) 122
Roghani, M. and Behzadi, G.
Neuroprotective effect of vitamin E on the early model of Parkinson's disease in rat: behavioral and histochemical evidence (892) 211

Sabol, K.E., Roach, J.T., Broom, S.L., Ferreira, C. and Preau, M.M.
Long-term effects of a high-dose methamphetamine regimen on subsequent methamphetamine-induced dopamine release in vivo (892) 122
Sager, T.N., Topp, S., Torup, L., Hanson, L.G., Egestad, B. and Møller, A.
Evaluation of CA1 damage using single-voxel ^{1}H-MRS and un-biased stereology: Can non-invasive measures of *N*-acetyl-asparate following global ischemia be used as a reliable measure of neuronal damage? (892) 166
Sampogna, S., see Torterolo, P. (892) 309
Sapru, H.N., see Aberger, K. (892) 138
Saquib, S.F., see Shouse, M.N. (892) 147
Saquib, S.F., see Shouse, M.N. (892) 176
Schlue, W.-R., see Hochstrate, P. (892) 248
Schmitz, N., see Hautzel, H. (892) 281
Seidler, F.J., see Trauth, J.A. (892) 269
Seo, K., Hu, J.W., Cairns, B.E. and Someya, G.
Involvement of $GABA_A$ receptor in modulation of jaw muscle activity evoked by mustard oil application to the rat temporomandibular joint (892) 198
Shah, N.J., see Hautzel, H. (892) 281
Sharples, P.M., see Grundy, P.L. (892) 386
Shibazaki, Y., Nakai, A., Koshino, T. and Yokoyama, K.
Effect of the immunosuppressant drug FK506 on neonatal cerebral mitochondrial function and energy metabolism after transient intrauterine ischemia in rats (892) 351
Shin, D.H., Lee, H.W., Jeon, G.S., Lee, H.Y., Lee, K.H. and Cho, S.S.
Constitutive expression of *c-myb* mRNA in the adult rat brain (892) 203
Shirakawa, K., see Inoue, T. (892) 111
Shouse, M.N., Staba, R.J., Ko, P.-Y., Saquib, S.F. and Farber, P.R.
Monoamines and seizures: microdialysis findings in locus ceruleus and amygdala before and during amygdala kindling (892) 176
Shouse, M.N., Staba, R.J., Saquib, S.F. and Farber, P.R.
Long-lasting effects of feline amygdala kindling on monoamines, seizures and sleep (892) 147
Slotkin, T.A., see Trauth, J.A. (892) 269
Someya, G., see Seo, K. (892) 198
Staba, R.J., see Shouse, M.N. (892) 147

Staba, R.J., see Shouse, M.N. (892) 176
Suk, K., see Lee, P. (892) 380
Summers, B.A., see Kim, D.-K. (892) 359
Suzuki, Y., see Zhu, W. (892) 391
Swain, M.G., see Burak, K.W. (892) 376
Szewczyk, A., see Dębska, G. (892) 42

Tae Kwon, Y., see Balogh, S.A. (892) 336
Tamaya, N., see Zhu, W. (892) 391
Taylor, J.G., see Hautzel, H. (892) 281
Tellmann, L., see Hautzel, H. (892) 281
Topp, S., see Sager, T.N. (892) 166
Torterolo, P., Yamuy, J., Sampogna, S., Morales, F.R. and Chase, M.H.
GABAergic neurons of the laterodorsal and pedunculopontine tegmental nuclei of the cat express *c-fos* during carbachol-induced active sleep (892) 309
Torup, L., see Sager, T.N. (892) 166
Trauth, J.A., Seidler, F.J., Ali, S.F. and Slotkin, T.A.
Adolescent nicotine exposure produces immediate and long-term changes in CNS noradrenergic and dopaminergic function (892) 269
Traversa, U., see Poli, A. (892) 78
Tuma, R.F., see Legos, J.J. (892) 70

Umegaki, H., see Zhu, W. (892) 391

Vanderwolf, C.H. and Zibrowski, E.M.
Pyriform cortex β-waves: odor-specific sensitization following repeated olfactory stimulation (892) 301
van Rooijen, N., see Zito, M.A. (892) 13
Villani, L., see Poli, A. (892) 78

Wadsworth, G., see Dawson, D.A. (892) 344
Wang, F., see Inoue, T. (892) 111
Weller, M., see Isenmann, S. (892) 229
White, R.F., see Legos, J.J. (892) 70

Yagita, H., see Lee, P. (892) 380
Yamuy, J., see Torterolo, P. (892) 309
Yokoyama, K., see Shibazaki, Y. (892) 351
Yoshida, S.
Re-evaluation of acute neurotoxic effects of Cd^{2+} on mesencephalic trigeminal neurons of the adult rat (892) 102
Yoshimura, J., see Zhu, W. (892) 391

Zaccanti, F., see Poli, A. (892) 78
Zhu, W., Umegaki, H., Yoshimura, J., Tamaya, N., Suzuki, Y., Miura, H. and Iguchi, A.
The elevation of plasma adrenocorticotrophic hormone and expression of c-Fos in hypothalamic paraventricular nucleus by microinjection of neostigmine into the hippocampus in rats: comparison with acute stress responses (892) 391
Zibrowski, E.M., see Vanderwolf, C.H. (892) 301
Ziemons, K., see Hautzel, H. (892) 281
Zimitat, C. and Nixon, P.F.
Glucose induced IEG expression in the thiamin-deficient rat brain (892) 218
Zito, M.A., Koennecke, L.A., McAuliffe, M.J., McNally, B., van Rooijen, N. and Heyes, M.P.
Depletion of systemic macrophages by liposome-encapsulated clodronate attenuates striatal macrophage invasion and neurodegeneration following local endotoxin infusion in gerbils (892) 13
Zushida, K., see Kamei, J. (892) 370